

Accessibility

Automated check <https://boxmeer.nl> 10-09-2020

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

Contrast

These are opportunities to improve the legibility of your content.

1 Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn more](#).

Failing Elements

<h2 class="bg_2">Afspraak maken</h2>

<h2 class="bg_2">Paspoort & rijbewijs</h2>

<h2 class="bg_2">Melding doen</h2>

<h2 class="bg_2">Duurzaamheid</h2>

<h2 class="bg_2">WOZ & belastingen</h2>

Names and labels

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

2 Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like

screen readers. [Learn more.](#)

Failing Elements

```
<input type="text" id="search_trefwoord" name="trefwoord" class="searchbox_trefwoord searchbox" style="color: rgb(113, 113, 113);">
```

3 Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more.](#)

Failing Elements

```
<a href="https://www.boxmeer.nl/inwoners/onderwerpen-a-z_41397/product/tijdelijke-overbruggingsregeling-zelfstandig-ondernemers-2-tozo-2_1060.html">
```

```
<a href="https://www.boxmeer.nl/inwoners/aangepaste-dienstverlening- coronavirus_42630/">  
</a>
```

Additional items to manually check

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

- 1 The page has a logical tab order
- 2 Interactive controls are keyboard focusable
- 3 Interactive elements indicate their purpose and state
- 4 The user's focus is directed to new content added to the page
- 5 User focus is not accidentally trapped in a region
- 6 Custom controls have associated labels
- 7 Custom controls have ARIA roles
- 8 Visual order on the page follows DOM order
- 9 Offscreen content is hidden from assistive technology
- 10 Headings don't skip levels
- 11 HTML5 landmark elements are used to improve navigation

Passed audits

- 1 Buttons have an accessible name
- 2 The page contains a heading, skip link, or landmark region
- 3 Document has a <title> element
- 4 [id] attributes on the page are unique
- 5 <html> element has a [lang] attribute
- 6 <html> element has a valid value for its [lang] attribute
- 7 Image elements have [alt] attributes
- 8 Lists contain only elements and script supporting elements (<script> and <template>).
- 9 List items () are contained within or parent elements
- 10 [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

Not applicable

- 1 [accesskey] values are unique
- 2 [aria-*) attributes match their roles
- 3 [role]s have all required [aria-*) attributes
- 4 Elements with [role] that require specific children [role]s, are present
- 5 [role]s are contained by their required parent element
- 6 [role] values are valid
- 7 [aria-*) attributes have valid values
- 8 [aria-*) attributes are valid and not misspelled
- 9 <audio> elements contain a <track> element with [kind="captions"]
- 10 <dl>'s contain only properly-ordered <dt> and <dd> groups, <script> or <template> elements.
- 11 Definition list items are wrapped in <dl> elements
- 12 <frame> or <iframe> elements have a title
- 13 <input type="image"> elements have [alt] text

14 Presentational <table> elements avoid using <th>, <caption> or the [summary] attribute.

15 The document does not use <meta http-equiv="refresh">

16 <object> elements have [alt] text

17 No element has a [tabindex] value greater than 0

18 Cells in a <table> element that use the [headers] attribute only refer to other cells of that same table.

19 <th> elements and elements with [role="columnheader"/"rowheader"] have data cells they describe.

20 [lang] attributes have a valid value

21 <video> elements contain a <track> element with [kind="captions"]

22 <video> elements contain a <track> element with [kind="description"]